

MULTISCREENTM MEMBRANE PREPARATION **HUMAN RECOMBINANT CCR9 RECEPTOR**

PRODUCT INFORMATION

Catalog Number: MC1017

Lot Number: 03162012

Quantity: 1 vial (10.3mg/ml)

Host cell: HEK293T

Transfection: Expression vector containing full-length human CCR9 cDNA (GenBank Accession Number: NM_0006641) with FLAG tag sequence at N-terminus

Recommended Storage: Liquid nitrogen

Data sheet

Background: CCR9 (C-C chemokine receptor type 9) is a thymus-specific receptor for chemokine CCL25 (SCYA25 or TECK). It is an alternative co-receptor with CD4 for HIV-1 infection. Activation of the receptor may lead to potent cFLIP(L)independent resistance to cycloheximide-induced apoptosis and modest resistance to Fas-mediated apoptosis possibly via activation of multiple signaling components involving Akt and glycogen synthase kinase 3β . Thus, dissection of signaling components involved in the CCR9-mediated antiapoptosis could be a framework for cell survival mechanisms and may provide options for therapeutic interventions.

Application: [³⁵S]GTPγS Binding Assay









Figure 1. Dose-dependent [35S]GTPγS Binding to CCR9 membrane upon treatment with agonist using homogenous proximity assay method. Figure 2. Receptor expression on cell surface measured by flow cytometry (FACS) using an anti-FLAG antibody. Thin line: parental cells; thick line: receptor-expressing cells.

References:

Choe et al. (1998) The orphan seven-transmembrane receptor apj supports the entry of primary T-cell-line-tropic and dualtropic human immunodeficiency virus type 1. J Virol 72:6113-6118.

Youn et al. (2002) Role of the CC chemokine receptor 9/TECK interaction in apoptosis. Apoptosis 7:271-276.

FOR RESEARCH USE ONLY.

© 2005 Multispan Inc. All rights reserved. No part of this document may be reproduced in any form without prior permission in writing.

www.multispaninc.com sales@multispaninc.com support@multispaninc.com

Phone: +1 (510) 887-0817 Fax: +1 (510) 887-0863 26219 Eden Landing Road Hayward, CA 94545-3718 U.S.A.